NCDOL S

Employee Safety and Health Program

Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (dawain.faison@labor.nc.gov). to be uploaded to the intranet and the specific Unit.

Unit:	Location of Inspection: Commissioners Office
Inspection Team:	Date of Inspection: 12/18/14
1. Mildred Rivera	Unit Manager: Cherie Berry
2 6 10	Additional Comments:
2. Chanel Brown	No hazards found
3.	

Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
Missing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
itional Comments, notations, and abatement information (i	ncluding date):

ems stored within 3 feet of a heater and/or heat source	Blocked fire extinguishers
nergency Exit lighting is working correctly	Exit doors in working condition
pace heaters meet testing laboratories criteria (Identify)	Block Exit doors
ammable/Combustibles stored correctly	Chemicals stored correctly
ccessively warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #) Last inspected 12/14



Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (dawain.faison@labor.nc.gov). to be uploaded to the intranet and the specific Unit.

Unit: Communications	Location of Inspection: 1st Floor, Labor Building
Inspection Team:	Date of Inspection: 12/18/2014 10:30 am
1. Alberta Hall	Unit Manager: Dolores Quesenberry
2. Doris Kester	Additional Comments: No hazards found:
3.	110 , 11 - 11

Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
lissing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
tional Comments, notations, and abatement information (i	ncluding date):

pace heaters meet testing laboratories criteria (Identify) Block Exit doors Chemicals stored correctly Cressively warm/overheated cords or equipment: Fire extinguishers inspected (identify by Serial #)	ems stored within 3 feet of a heater and/or heat source	Blocked fire extinguishers
Flammable/Combustibles stored correctly Excessively warm/overheated cords or equipment: Fire extinguishers inspected (identify by Serial #)	Emergency Exit lighting is working correctly	Exit doors in working condition
Excessively warm/overheated cords or equipment: Fire extinguishers inspected (identify by Serial #)	Space heaters meet testing laboratories criteria (Identify)	Block Exit doors
Excessively warm/overheated cords or equipment: Fire extinguishers inspected (identify by Serial #) itional Comments, notations, and abatement information (including date):	Flammable/Combustibles stored correctly	Chemicals stored correctly



Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (dawain.faison@labor.nc.gov). to be uploaded to the intranet and the specific Unit.

Unit: Budget		Location of Inspection: 3 rd Floor, Labor Building
Inspection Team:		Date of Inspection: 12/18/2014 10:00 am
1. Alberta Ho	·	Unit Manager: Jack Brinson
2. Doris Kest	er	Additional Comments: No hazards found:
3.		110 1111 201 000

Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
Missing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
itional Comments, notations, and abatement information (i	including date):

ems stored within 3 feet of a heater and/or heat source	Blocked fire extinguishers
mergency Exit lighting is working correctly	Exit doors in working condition
pace heaters meet testing laboratories criteria (Identify)	Block Exit doors .
ammable/Combustibles stored correctly	Chemicals stored correctly
xcessively warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #)
ional Comments, notations, and abatement information (include	Jing debalt



Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (dawain.faison@labor.nc.gov). to be uploaded to the intranet and the specific Unit.

Unit: Human Resources	Location of Inspection: Labor - 1st Floor
Inspection Team:	Date of Inspection: 2-18-14
1. Britne Becker	Unit Manager: Renathe Coffen Additional Comments:
2. JJ Bulluck	
3.	No hazards (i)

Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
Missing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
ditional Comments, notations, and abatement information (including date):

ems stored within 3 feet of a heater and/or heat source	Blocked fire extinguishers
Emergency Exit lighting is working correctly	Exit doors in working condition
Space heaters meet testing laboratories criteria (Identify)	Block Exit doors
Flammable/Combustibles stored correctly	Chemicals stored correctly
Excessively warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #)

NCDOL S

Employee Safety and Health Program

Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (dawain.faison@labor.nc.gov). to be uploaded to the intranet and the specific Unit.

Unit:	Location of Inspection: Legal Affairs
Inspection Team:	Date of Inspection: 12/18/14
1. Mildred Rivera	Unit Manager: Jane Gilchrist
2 (Additional Comments:
2. Chanel Brown	No hazards found.
3.	

Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
Missing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
itional Comments, notations, and abatement information (i	including date):

ems stored within 3 feet of a heater and/or heat source	Blocked fire extinguishers
mergency Exit lighting is working correctly	Exit doors in working condition
pace heaters meet testing laboratories criteria (Identify)	Block Exit doors
lammable/Combustibles stored correctly	Chemicals stored correctly
xcessively warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #) Last inspected 12/14



Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (dawain.faison@labor.nc.gov). to be uploaded to the intranet and the specific Unit.

Unit: Osh Administration	Location of Inspection: OSh - 3rd Floor ORB
Inspection Team:	Date of Inspection: 12/19/14
1. Janet Rust	Unit Manager: Kevin Beaure gard
2. Jacquelyn Haley	Additional Comments:
3.	

Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
Missing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
ditional Comments, notations, and abatement information (i	ncluding date):

	Blocked fire extinguishers
mergency Exit lighting is working correctly	Exit doors in working condition
pace heaters meet testing laboratories criteria (Identify)	Block Exit doors
lammable/Combustibles stored correctly	Chemicals stored correctly
xcessively warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #)

NCDOL S

Employee Safety and Health Program

Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (dawain.faison@labor.nc.gov). to be uploaded to the intranet and the specific Unit.

Unit: NCOSH Review Commission	Location of Inspection: 422 Blount Street (Lee House)
Inspection Team:	Date of Inspection: 12/18/2014
1. Todd McNoldy	Unit Manager: Nancy Swaney
2	Additional Comments:
Z.	
3.	

Inspection Information

Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
Missing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
itional Comments, notations, and abatement information (i	ncluding date):

F	ire Hazards and Egress: Check appropriate box when cor	dition is identified and make notation
Χ	Items stored within 3 feet of a heater and/or heat source	Blocked fire extinguishers
	Emergency Exit lighting is working correctly	Exit doors in working condition
	Space heaters meet testing laboratories criteria (Identify)	Block Exit doors
	Flammable/Combustibles stored correctly	Chemicals stored correctly
	Excessively warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #) 5KL7P (inspected 12/14); 5KL7R (inspected 12/14); 5KL7Q (inspected 12/14)

Additional Comments, notations, and abatement information (including date): Fire extinguishers are all up to date. As before, I did notice some issues with the use of space heaters. A number of them were positioned close to flammable objects or under desks without the requisite three foot clearance. In addition, I saw one space heater located under a desk in an office that was left on and unattended. I communicated this with the Review Commission staff, and they immediately addressed the problem.



Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (dawain.faison@labor.nc.gov). to be uploaded to the intranet and the specific Unit.

Unit: PSIM	Location of Inspection: OR B 8rd HOOK
Inspection Team:	Date of Inspection: 12-14
1. Parrie Boring	Unit Manager: Anne Weavey
2.	Additional Comments:
	Very tidy unit.
3.	
Tnono	ction Information
Inspe	Ction Information
Electrical Cords and Outlets: Check appropriate box	when condition is identified and add notation
Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
Missing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
Additional Comments, notations, and abatement informatio	n (including date):
Fire Hazards and Egress: Check appropriate box who	en condition is identified and make notation
Items stored within 3 feet of a heater and/or heat source	te Blocked fire extinguishers
Emergency Exit lighting is working correctly	Exit doors in working condition
Space heaters meet testing laboratories criteria (Identify	y) Block Exit doors
Flammable/Combustibles stored correctly	Chemicals stored correctly
Excessively warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #) A01439-last inspected in November, 2014
Additional Comments, notations, and abatement information	n (including date):



Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (dawain.faison@labor.nc.gov). to be uploaded to the intranet and the specific Unit.

Unit: Research & Policy & IT	Location of Inspection: Labor Bldg 4th floor
Inspection Team: Kathy Canady Tammy	Date of Inspection: 12/33/14
1. Higgins	Unit Manager:
2	Additional Comments:
2.	
3.	

Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
Alssing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
tional Comments, notations, and abatement information (in	ncluding date):

Items stored within 3 feet of a heater and/or heat source	Blocked fire extinguishers
Emergency Exit lighting is working correctly	Exit doors in working condition
Space heaters meet testing laboratories criteria (Identify)	Block Exit doors
Flammable/Combustibles stored correctly	Chemicals stored correctly
Excessively warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #) Did not inspect fire extinguishe