Employee Safety and Health Program

Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (dawain.faison@labor.nc.gov). to be uploaded to the intranet and the specific Unit.

Unit: I	Budget	Location of Inspection: Labor Building 3rd floor
Insped	ction Team:	Date of Inspection: 3/11/15
		Unit Manager: Janet Rust
1	Anadallamiltan	Additional Comments:
1.	Angela Hamilton	
2.	Doris Kester	

Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
Missing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
itional Comments, notations, and abatement information (i	including date): No unsafe conditions identified.

ms stored within 3 feet of a heater and/or heat source	Blocked fire extinguishers
ergency Exit lighting is working correctly	Exit doors in working condition
ce heaters meet testing laboratories criteria (Identify)	Block Exit doors
ammable/Combustibles stored correctly	Chemicals stored correctly
cessively warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #)

Employee Safety and Health Program

Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (dawain.faison@labor.nc.gov). to be uploaded to the intranet and the specific Unit.

Unit: DOL-Commissioners Office	Location of Inspection: Commissioners Office – Labor 2 nd floor
Inspection Team:	Date of Inspection: 3/11/15
1. Chanel Brown	Unit Manager: Cherie Berry
2. Mildred Rivera	Additional Comments:
Z. Willdled Rivera	
3.	No hazards found.

Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
Missing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
itional Comments, notations, and abatement information (i	ncluding date):
tional Comments, notations, and abatement information (i	ncluding date):

tems stored within 3 feet of a heater and/or heat source	Blocked fire extinguishers
Emergency Exit lighting is working correctly	Exit doors in working condition
Space heaters meet testing laboratories criteria (Identify)	Block Exit doors
Flammable/Combustibles stored correctly	Chemicals stored correctly
Excessively warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #)

Employee Safety and Health Program

Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (dawain.faison@labor.nc.gov). to be uploaded to the intranet and the specific Unit.

Unit:	Communications	Location of Inspection: Labor Building 1st floor
Inspe	ction Team:	Date of Inspection: 3/11/15
		Unit Manager: Delores Quesenberry
1.	Angela Hamilton	Additional Comments:
2.	Doris Kester	

Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
Missing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
itional Comments, notations, and abatement information (i	including date): No unsafe conditions identified.

ns stored within 3 feet of a heater and/or heat source	Blocked fire extinguishers
rgency Exit lighting is working correctly	Exit doors in working condition
ce heaters meet testing laboratories criteria (Identify)	Block Exit doors
nmable/Combustibles stored correctly	Chemicals stored correctly
essively warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #)





Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (dawain,faison@labor.nc.gov). to be uploaded to the intranet and the specific Unit.

Unit: Juman Resources	Location of Inspection: 134 Id. Labor Blogs
Inspection Team:	Date of Inspection: 3/26/2015
1 Karessa Dluss	Unit Manager: Reseth Cathan
2	Additional Comments:
ga 1 o destroncerto	
3.	

Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
Alssing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
tional Comments, notations, and abatement information (including date):

	Items stored within 3 feet of a heater and/or heat source	Blocked fire extinguishers
	Emergency Exit lighting is working correctly	Exit doors in working condition
	Space heaters meet testing laboratories criteria (Identify)	Block Exit doors
	Flammable/Combustibles stored correctly	Chemicals stored correctly
	Excessively warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #)
d	ditional Comments, notations, and abatement information (included in provided in the space of the second meet of the second mee	heaters in 3 offices, but they

Employee Safety and Health Program

Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (dawain.faison@labor.nc.gov). to be uploaded to the intranet and the specific Unit.

Unit: DOL-Legal Affairs	Location of Inspection: Legal Affairs-Labor 2 nd floor
Inspection Team:	Date of Inspection: 3/11/15
1. Chanel Brown	Unit Manager: Jane Gilchrist
2. Mildred Rivera	Additional Comments:
2. Willai ed River d	
3.	No hazards found.

Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
Missing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
itional Comments, notations, and abatement information (i	ncluding date):



Employee Safety and Health Program

Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (dawain.faison@labor.nc.gov). to be uploaded to the intranet and the specific Unit.

Unit: Osh Administration	Location of Inspection: OSh 3rd Floor ORB
Inspection Team:	Date of Inspection: 3)25/2015
1. Jacquelyn Haley	Unit Manager: Kevin Beauregard
	Additional Comments:
2. Brian Harper	
3.	

Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
dissing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
itional Comments, notations, and abatement information (i	ncluding date):

ce heaters meet testing laboratories criteria (Identify) Block Exit doors Chemicals stored correctly	ns stored within 3 feet of a heater and/or heat source	Blocked fire extinguishers
ammable/Combustibles stored correctly Chemicals stored correctly	nergency Exit lighting is working correctly	Exit doors in working condition
	vace heaters meet testing laboratories criteria (Identify)	Block Exit doors
xcessively warm/overheated cords or equipment: Fire extinguishers inspected (id	ammable/Combustibles stored correctly	Chemicals stored correctly
	ccessively warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #)

Employee Safety and Health Program

Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (dawain.faison@labor.nc.gov). to be uploaded to the intranet and the specific Unit.

Unit: NCOSH Review Commission	Location of Inspection: 422 Blount Street (Lee House)
Inspection Team:	Date of Inspection: 3/25/15
1. Todd McNoldy	Unit Manager: Nancy Swaney
	Additional Comments:
Ζ.	
3.	

Inspection Information

Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
dissing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
itional Comments, notations, and abatement information (i	ncluding date):

Fire Hazards and Egress: Check appropriate box when cor	dition is identified and make notation
Items stored within 3 feet of a heater and/or heat source	Blocked fire extinguishers
Emergency Exit lighting is working correctly	Exit doors in working condition
Space heaters meet testing laboratories criteria (Identify)	Block Exit doors
Flammable/Combustibles stored correctly	Chemicals stored correctly
Excessively warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #) 5KL7P – inspected 3/15; 5KL7R – inspected 3/15; 5KL7Q – inspected 3/15. All fire extinguishers current.

Additional Comments, notations, and abatement information (including date): Everything looks good. Space heaters were stored in places where, if in use, they would not meet operational guidelines. However, they were not in use at the time of inspection, and I was told that since the central heating in the building was repaired, space heater usage has ceased. Also, fire extinguishers were all inspected this month. Nice job as always!



Employee Safety and Health Program

Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (dawain.faison@labor.nc.gov). to be uploaded to the intranet and the specific Unit.

Unit: Loc	ation of Inspection:
Inspection Team: Dat	te of Inspection: $3 - 3/-15$
	A
	t Manager: Anne Weaver
2.	ittorial Comments.
Ali:	
3.	N
Inspectio	n Information
Electrical Cords and Outlets: Check appropriate box when	n condition is identified and add notation
Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
Missing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
Additional Comments, notations, and abatement information (inc	, adding date).
Fire Hazards and Egress: Check appropriate box when co	ondition is identified and make notation
Items stored within 3 feet of a heater and/or heat source	Blocked fire extinguishers
Emergency Exit lighting is working correctly	Exit doors in working condition
Space heaters meet testing laboratories criteria (Identify)	Block Exit doors
Flammable/Combustibles stored correctly	Chemicals stored correctly
Excessively warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #) A 01439 - March 2015
Additional Comments, notations, and abatement information (inc	cluding date):
Volc	P-

Employee Safety and Health Program

Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (dawain.faison@labor.nc.gov). to be uploaded to the intranet and the specific Unit.

Unit: Research and Information Technology	Location of Inspection: Labor Building
Inspection Team:	Date of Inspection: 3/26/2015
1. Tammy Higgins	Unit Manager: Tina Morris-Anderson
2. Jovonah Weeden	Additional Comments:
Z. Jovonan vectucii	
3.	

Inspection Information

walkways	Extension cords used as permanent wiring
d cords (any type)	Exposed energized parts
ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
omments, notations, and abatement information (ir	ncluding date
omments, notations, and abatement information (ir	1 1 1 1

Items stored within 3 feet of a heater and/or heat source	Blocked fire extinguishers
Emergency Exit lighting is working correctly	Exit doors in working condition
Space heaters meet testing laboratories criteria (Identify)	Block Exit doors
Flammable/Combustibles stored correctly	Chemicals stored correctly
Excessively warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #)

Additional Comments, notations, and abatement information (including date): Box was blocking smoke detector in IT storage room. It was removed before leaving the area.