

Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (<u>dawain.faison@labor.nc.gov</u>). to be uploaded to the intranet and the specific Unit.

Unit:	Budget		Location of Inspection: Third Floor, Labor Building
Inspe	ection Team:		Date of Inspection: September 25, 2014 D 1:00 -1:15 pm
1.	Doris Kester		Unit Manager: Jack Brinson
2.	Alberta Hall	2 	Additional Comments: - No hazards found
3.			TVD TIME WICHS V OUTTO

Inspection Information

	Extension cords used as permanent wiring
amaged cords (any type)	Exposed energized parts
issing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
ccessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
ional Comments, notations, and abatement information (incl	uding date):

Items stored within 3 feet of a heater and/or heat source		Blocked fire extinguishers
Emergency Exit lighting is working correctly		Exit doors in working condition
Space heaters meet testing laboratories criteria (Identify)		Block Exit doors
Flammable/Combustibles stored correctly		Chemicals stored correctly
Excessively warm/overheated cords or equipment:	1.1	Fire extinguishers inspected (identify by Serial #)

Additional Comments, notations, and abatement information (including date):



Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (<u>dawain.faison@labor.nc.gov</u>). to be uploaded to the intranet and the specific Unit.

Unit: Communications	Location of Inspection: First Floor, Labor Building
Inspection Team:	Date of Inspection: September 25, 2014 @ 1:16 - 1:30
1. Doris Kester	Unit Manager: Dolores Quesenberry
2. Alberta Hall	Additional Comments: No hazards found.
3.	IVU Mazuras vennar

Inspection Information

Extension cords used as permanent wiring
Exposed energized parts
Daisy chain (power strip plugged into another power strip)
Outlet missing cover or broken cover
Two prong adapter used or two prong extension cord
uding date):

Fire Hazards and Egress: Check appropriate box when condition is identified and make notation

Items stored within 3 feet of a heater and/or heat source	Blocked fire extinguishers
Emergency Exit lighting is working correctly	Exit doors in working condition
Space heaters meet testing laboratories criteria (Identify)	Block Exit doors
Flammable/Combustibles stored correctly	Chemicals stored correctly
Excessively warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #)

Additional Comments, notations, and abatement information (including date):

Inspection Division/Bureau: NC DOL/OSH/Employee Safety and Health Steering Committee Document <u>Mame: Unit Inspection form Document Owner:</u> Safety and Health Steering Committee



Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (<u>dawain.faison@labor.nc.gov</u>). to be uploaded to the intranet and the specific Unit.

Unit: Commissioners Office	Location of Inspection: Labor Bldg. 2 nd floor
Inspection Team:	Date of Inspection: 9/19/14
1. Mildred Rivera	Unit Manager: Chery Berry
2. Chanel Brown	Additional Comments:
3.	

Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
Missing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
ditional Comments, notations, and abatement information (i o problems found	ncluding date):

Emergency Exit lighting is working correctlyExit doors in working conditionSpace heaters meet testing laboratories criteria (Identify)Block Exit doorsFlammable/Combustibles stored correctlyChemicals stored correctlyExcessively warm/overheated cords or equipment:Fire extinguishers inspected (identify by Serial #)	Items stored within 3 feet of a heater and/or heat source	Blocked fire extinguishers
Flammable/Combustibles stored correctly Chemicals stored correctly	Emergency Exit lighting is working correctly	Exit doors in working condition
	Space heaters meet testing laboratories criteria (Identify)	Block Exit doors
Excessively warm/overheated cords or equipment: Fire extinguishers inspected (identify by Serial #)	Flammable/Combustibles stored correctly	Chemicals stored correctly
	Excessively warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #)



Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (dawain.faison@labor.nc.gov). to be uploaded to the intranet and the specific Unit.

Unit: Human Resources	Location of Inspection: 15+ Floor, Labor building
Inspection Team:	Date of Inspection: 9/22/14
1. Britne Becker	Unit Manager: Renathe Cotten
2. J.J. Bulluck	Additional Comments:
3.	

Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
Missing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
litional Comments, notations, and abatement information (i	ncluding date):

Fire Hazards and Egress: Check appropriate box when condition is identified and make notation				
X Items stor	red within 3 feet of a heater and/or heat source	Blocked fire extinguishers		
Emergenc	y Exit lighting is working correctly	Exit doors in working condition		
Space hea	aters meet testing laboratories criteria (Identify)	Block Exit doors		
Flammable/Combustibles stored correctly Chemicals stored correctly				
	y warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #)		
Additional Co sure + understa things	mments, notations, and abatement information (includ hey are not operated within 3 f and that using them under desk look good and no maj	ing date): For any space heaters, just make eet of any items or objects. We is poses a fire hazard. Overall, or is sues. Thanks!		



Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (<u>dawain.faison@labor.nc.gov</u>). to be uploaded to the intranet and the specific Unit.

Unit: Research & Policy & IT	Location of Inspection: Labor Bldg
Inspection Team:	Date of Inspection: $9 - 19 - 2014$
1. Tammy Higgins	Unit Manager: Tina Morris Anderson
/ 00	Additional Comments:
2. Kathy Canady	
3.	

Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
Missing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
itional Comments, notations, and abatement information (i	

ems stored within 3 feet of a heater and/or heat source	Blocked fire extinguishers
Emergency Exit lighting is working correctly	Exit doors in working condition
Space heaters meet testing laboratories criteria (Identify)	Block Exit doors
Flammable/Combustibles stored correctly	Chemicals stored correctly
Excessively warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #)
itional Comments, notations, and abatement information (includ OK in all areas - nice exit d	- ,



Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (<u>dawain.faison@labor.nc.gov</u>). to be uploaded to the intranet and the specific Unit.

Unit: Legal Affairs	Location of Inspection: Labor Bldg 2 nd floor
Inspection Team:	Date of Inspection: 9/19/14
1. Mildred Rivera	Unit Manager: Jane Gilchrist
2. Chanel Brown	Additional Comments:
3.	

Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
Missing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
dditional Comments, notations, and abatement information (o problems found	

mergency Exit lighting is working correctly pace heaters meet testing laboratories criteria (Identify)	Exit doors in working condition
pace heaters meet testing laboratories criteria (Identify)	
5 (),	Block Exit doors
ammable/Combustibles stored correctly	Chemicals stored correctly
xcessively warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #)



Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (<u>dawain.faison@labor.nc.gov</u>). to be uploaded to the intranet and the specific Unit.

Unit: NCOSH Review Commission	Location of Inspection: 422 Blount Street (Lee House)
Inspection Team:	Date of Inspection: 9/9/14
1. Todd McNoldy	Unit Manager: Nancy Swaney
	Additional Comments:
2.	
3.	

Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
Missing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
ditional Comments, notations, and abatement information (in	ncluding date):

Emergency Exit lighting is working correctly	
Energency Exclusive ignaling to morning correctly	Exit doors in working condition
Space heaters meet testing laboratories criteria (Identify)	Block Exit doors
Flammable/Combustibles stored correctly	Chemicals stored correctly
Excessively warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #) 5KL7P (inspected 9/14); 5KL7R (inspected 9/14); 5KL7Q (inspected 9/14)



Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (<u>dawain.faison@labor.nc.qov</u>). to be uploaded to the intranet and the specific Unit.

Unit: Osh Administration	Location of Inspection: Osh 3rd Ploor ORB
Inspection Team:	Date of Inspection: 9/19/14
1. Janet Rust	Unit Manager: Kevih Beauregard
2. Jacquebyn Haley	Additional Comments:
3.	

Inspection Information

Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
Missing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
dditional Comments, notations, and abatement information (including date):

ms stored within 3 feet of a heater and/or heat source	Blocked fire extinguishers
mergency Exit lighting is working correctly	Exit doors in working condition
pace heaters meet testing laboratories criteria (Identify)	Block Exit doors
-lammable/Combustibles stored correctly	Chemicals stored correctly
Excessively warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #)
itional Comments, notations, and abatement information (inclu EXCENENT!	ding date):

Inspection Division/Bureau: NC DOL/OSH/Employee Safety and Health Steering Committee Document Name: Unit Inspection form Document Owner: Safety and Health Steering Committee

 \bigcirc



Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Dawain Faison (<u>dawain.faison@labor.nc.gov</u>). to be uploaded to the intranet and the specific Unit.

Location of Inspection:
Date of Inspection: $9 - 29 - 14$
Unit Manager: Anne Weaver
Additional Comments:

Inspection Information

Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
Missing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
litional Comments, notations, and abatement information (i	ncluding date):

Fire Hazards and Egress: Check appropriate box when cond	
Items stored within 3 feet of a heater and/or heat source	Blocked fire extinguishers
Emergency Exit lighting is working correctly	Exit doors in working condition
Space heaters meet testing laboratories criteria (Identify)	Block Exit doors
Flammable/Combustibles stored correctly	Chemicals stored correctly
Excessively warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #) A01439 Last inspected - Sept 2014
Additional Comments, notations, and abatement information (included of the second of t	Jing date):

Ü