NCDOL S

Employee Safety and Health Program

Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Amanda Carroll (amanda.carroll@labor.nc.gov) to be uploaded to the intranet and the specific Unit.

Unit: District 1	Location of Inspection: Asheville Office
Inspection Team:	Date of Inspection: July 31, 2017
1. Kristie Hall	Unit Manager: Jennie Cagle
2 Leichten Noudle	Additional Comments:
2. Leighton Dowdle	No hazards were found during the inspection.
3.	

Inspection Information

Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
Missing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
Excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
itional Comments, notations, and abatement information (i	including date):

tems stored within 3 feet of a heater and/or heat source	Blocked fire extinguishers
Emergency Exit lighting is working correctly	Exit doors in working condition
Space heaters meet testing laboratories criteria (Identify)	Block Exit doors
Flammable/Combustibles stored correctly	Chemicals stored correctly
Excessively warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #) Kiddie Fire Extinguishers (#RD-379022 and #RD-379023)

NCDOL S

Employee Safety and Health Program

Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Amanda Carroll (amanda.carroll@labor.nc.gov) to be uploaded to the intranet and the specific Unit./

Unit: Cha	arlotte	Location of Inspection/n: Charlotte Office
Inspection	on Team: District II	Date of Inspection: 8/8/17
1. J	Jermaine Dennis	Unit Manager: Paul Sullivan
		Additional Comments:
2. 0	Griselle Negron	

Inspection Information

V	Cords in walkways	N	Extension cords used as permanent wiring
1	Damaged cords (any type)	N	Exposed energized parts
IΑ	Missing ground pin on electrical cord	N	Daisy chain (power strip plugged into another power strip)
ΙA	Excessively warm/overheated cords or equipment:	N	Outlet missing cover or broken cover
		NA	Two prong adapter used or two prong extension cord
Ad	dditional Comments, notations, and abatement information (incl	ıdin	g date):

Fi	ire Hazards and Egress: Check appropriate box when co	nditi	on is identified and make notation
N	Items stored within 3 feet of a heater and/or heat source	N	Blocked fire extinguishers
Υ	Emergency Exit lighting is working correctly	N	Exit doors in working condition
Υ	Space heaters meet testing laboratories criteria (Identify)	N	Block Exit doors
Υ	Flammable/Combustibles stored correctly	Υ	Chemicals stored correctly
N	Excessively warm/overheated cords or equipment:	Υ	Fire extinguishers inspected (identify by Serial #)

Additional Comments, notations, and abatement information (including date): Exit Doors: Employee Entrance Door; door does not close securely and have to pull tightly to close and push against the door to lock from the outside. An email was sent by Laura to the entire building to which the landlord is on to warn everyone about the issue.

NCDOL S

Employee Safety and Health Program

Unit and Field Office Inspection Form

Provide copy of this completed form to the Bureau Chief, and the Employee Safety and Health Program via Amanda Carroll (amanda.carroll@labor.nc.gov) to be uploaded to the intranet and the specific Unit.

Unit: District 1	Location of Inspection: Asheville Office
Inspection Team:	Date of Inspection: August 9, 2017
1. Leighton Dowdle	Unit Manager: Jennie Cagle
	Additional Comments:
2.	
3.	No hazards were found during this inspection.

Inspection Information

Cords in walkways	Extension cords used as permanent wiring
Damaged cords (any type)	Exposed energized parts
lissing ground pin on electrical cord	Daisy chain (power strip plugged into another power strip)
excessively warm/overheated cords or equipment:	Outlet missing cover or broken cover
	Two prong adapter used or two prong extension cord
tional Comments, notations, and abatement information (including date):

tems stored within 3 feet of a heater and/or heat source	Blocked fire extinguishers
Emergency Exit lighting is working correctly	Exit doors in working condition
Space heaters meet testing laboratories criteria (Identify)	Block Exit doors
Flammable/Combustibles stored correctly	Chemicals stored correctly
Excessively warm/overheated cords or equipment:	Fire extinguishers inspected (identify by Serial #) Kiddie Fire Extinguishers (#RD-379022 and #RD-379023)